

## SCHOOLAIR-V



- EC EN13779 SFP=1
- /
- 2 4
- 0.15m<sup>2</sup>
- VDI6022 —F7 G3
- 
- 
- NC
- 

- X-AIRCONTROL
- 
- RAL

> > > > SCHOOLAIR-V



- 6
- 2 4



- 
- 
- 
- 
- 



- NC
- /



- 
- 2 4 G1/2"
- VDI6022
- F7 G3
- 
- 
- 
-

- SCHOOLAIR-V-0 – 150 200 250 320m³/h
- SCHOOLAIR-V-HV – 200 250 300 350m³/h

- RAL9005 70%
- P1 RAL 70%

- 

- X-AIRCONTROL

- 

- 2 EC EN13779 SFP=1

- 

- 

- 

- 

- 

- RAL9005 RAL
- F7 Eurovent
- DIN4102 A 20m/s

-



46  
215021  
: (+86) 0512-67168869

TROX



: (+86) 021-52981838  
: [troxchn@troxchina.com](mailto:troxchn@troxchina.com)

: (+86) 010-88016761  
: [troxbj@troxchina.com](mailto:troxbj@troxchina.com)

: (+86) 020-34072475  
: [troxgz@troxchina.com](mailto:troxgz@troxchina.com)